

Paul W. Mayne, Ph.D., P.E.

Publications (1979-2015)

- 1) Mayne, P.W., Sharp, J., Styler, M. and Woeller, D.J. (2014). Very deep seismic piezocone tests in geocharacterization. *Proceedings, GeoRegina 2014*, 67th Canadian Geotechnical Conference, Saskatchewan: www.cgs.ca
- 2) Mayne, P.W. (2014). Keynote: Interpretation of geotechnical parameters from seismic piezocone tests. *Proceedings, 3rd Intl. Symp. Cone Penetration Testing*, Las Vegas (CPT'14, edited by P.K. Robertson and K.L. Cabal): 47-73. www.cpt14.com
- 3) Niazi, F.S. & Mayne, P.W. (2014). Axial pile response of bi-directional O-cell loading from modified analytical elastic solution and downhole shear wave velocity. *Canadian Geotech. J.*, 51(11): 1284-1302.
- 4) Ahmed, S.M., Agaiby, S.W. and Mayne, P.W. (2014). Sand compressibility aspects related to CPT. *Proceedings, 3rd Intl. Symp. Cone Penetration Testing*, (CPT'14, Las Vegas): 563-572. www.cpt14.com
- 5) Mayne, P.W. (2014). GeoEducation needs: Updating our introductory course curricula, particularly sections concerning geomaterial characterization. *Geocharacterization for Modeling and Sustainability* (GSP 234: Proc. GeoCongress 2014, Atlanta), ASCE, Reston, Virginia: 3911-3919.
- 6) Mayne, P.W. and Woeller, D.J. (2014). Direct CPT method for footings on sands, silts, and clays. *Geocharacterization for Modeling and Sustainability* (GSP 234: Proc. GeoCongress 2014, Atlanta), ASCE, Reston, Virginia: 1983-1997.
- 7) Mayne, P.W. (2014). Discussion to S. Saye et al., "Assessing overconsolidation ratios in soil with piezocone". *Journal of Geotechnical & Geoenvironmental Engineering* 140 (7): 07014016-1 to -2.
- 8) Mayne, P.W. (2014). Generalized CPT method for evaluating yield stress in soils. *Geocharacterization for Modeling and Sustainability* (GSP 234: Proc. GeoCongress 2014, Atlanta), ASCE, Reston, Virginia: 1336-1346.
- 9) Ku, T. and Mayne, P.W. (2014). Stress history profiling in soils using OCD-G₀ anisotropy relationships. *Geotechnical Engineering*, Vol. 167 (GE5), Institution of Civil Engineers, London: 476-490
- 10) Mayne, P.W. and Woeller, D.J. (2013). Bored pile foundation response using seismic cone data. *Proc. 18th International Conf. Soil Mechanics & Geotechnical Engineering* (ICSMGE, Paris), Presses de Ponts: 2803-2806.
- 11) Niazi, F.S. and Mayne, P.W. (2013). Cone penetration test based direct methods for evaluating static axial capacity of single piles. *Geotechnical and Geological Engineering*, 31 (4), Springer: 979-1009.
- 12) Styler, M.A. and Mayne, P.W. (2013). Site investigation using continuous shear wave velocity measurements during cone penetration testing at Gloucester, Ontario. *Proceedings, GeoMontreal 2013*, 66th Canadian Geotechnical Conference, Paper 345.
- 13) Uzielli, M., Mayne, P.W. and Cassidy, M.J. (2013). Probabilistic assessment of design strengths for sands from in-situ testing data. *Modern Geotechnical Design Codes of Practice*, Advances in Soil Mechanics & Geotechnical Engineering, Vol. 1, IOS-Millpress, Amsterdam: 214-227.

- 14) Ku, T. and Mayne, P.W. (2013). Profiling of K_0 lateral stress coefficient in soils using paired directional G_0 ratios. *Journal of Applied Geophysics* 94, Elsevier: 15-21.
- 15) Ku, T., Weemees, I., Cargill, E., Mayne, P.W. and Woeller, D.J. (2013). Post-processing continuous shear wave signals taken during cone penetrometer testing. *ASTM Geotechnical Testing Journal* 36 (4): 543-552.
- 16) Ku, T. and Mayne, P.W. (2013). Evaluating the in-situ lateral stress coefficient (K_0) of soils via paired shear wave velocity modes. *J. Geotechnical & Geoenvironmental Engrg.* 139 (5): 775-787.
- 17) Mayne, P.W. (2013). Evaluating yield stress of soils from laboratory consolidation and in-situ cone penetration tests. *Sound Geotechnical Research to Practice*, (GSP 230), ASCE, Reston/VA: 406-420.
- 18) Uzielli, M. and Mayne, P.W. (2013). Bayesian characteristics of transformation uncertainty for strength and stiffness of sands. *Foundation Engineering in the Face of Uncertainty*, (GSP 229), ASCE, Reston/VA: 368-384.
- 19) Kelly, R., Pineda, J.A. and Mayne, P.W. (2013). In-situ and laboratory testing of soft clays. *Australian Geomechanics Journal* 48 (3): 61-72.
- 20) Ku, T., Mayne, P.W., and Cargill, E. (2013). Continuous-interval shear wave velocity profiling by auto-source and seismic piezocone tests. *Canadian Geotechnical J.* 50 (1): 382–390
- 21) Mayne, P.W. (2013). Updating our geotechnical curricula via a balanced approach of in-situ, laboratory, and geophysical testing of soil. *Proceedings, 61st Annual Geotechnical Conference*, Minnesota Geotechnical Society, University of Minnesota, St. Paul: 65-86.
- 22) Ku, T. and Mayne, P.W. (2013). Yield stress history evaluated from paired in-situ shear moduli of different modes. *Engineering Geology* 152, Elsevier: 122-132.
- 23) Mayne, P.W. (2013). Discussion: Laboratory measurement of strength mobilisation in kaolin: link to stress history. *Geotechnique Letters* 3, Thomas Telford, London: 16–17.
- 24) Mayne, P.W. (2012). Invited keynote: Quandary in geomaterial characterization: new vs. old. *Shaking the Foundations of GeoEngineering Education* (Galway), Taylor & Francis Group, London: 15-26.
- 25) Schneider, J.A., Hotstream, J.N., Mayne, P.W. and Randolph, M.F. (2012). Comparing CPTu Q-F and $Q-\Delta u_2/\sigma_{v0}'$ soil classification charts. *Geotechnique Letters*, Vol. 2 (issue: Oct-Dec): 209-215.
- 26) Ku, T. and Mayne, P.W. (2012). Frequent-interval SDMT and continuous SCPTu for detailed shear wave velocity profiling in soils. *Geotechnical Engineering Journal* 43 (4), SouthEast Asian Geotechnical Society: 34-40.
- 27) Coutinho, R.Q. and Mayne, P.W., ed. (2012). *Geotechnical and Geophysical Site Characterization 4* (Proc. ISC-4, Pernambuco, Brazil), CRC Press-Taylor & Francis Group, London: 1912 p.
- 28) Brown, D.A. and Mayne, P.W. (2012). Piedmont residual soils and rocks. *GeoStrata* Vol. 16 (issue 6), ASCE, Reston, Virginia: 18-22.

- 29) Niazi, F., Mayne, P.W., and Woeller, D.J. (2012). Axial response of driven piles in clays from seismic piezocone tests. *Geotechnical and Geophysical Site Characterization 4* (Proc. ISC-4, Pernambuco, Brazil), Vol. 2, CRC Press-Taylor & Francis Group, London: 1115-1121.
- 30) Mayne, P.W. and Peuchen, J. (2012). Unit weight trends with cone resistance in soft to firm clays. *Geotechnical and Geophysical Site Characterization 4*, Vol. 1, CRC Press, London: 903-910.
- 31) Ku, T., Mayne, P.W. and Gutierrez, B.J. (2012). Shear wave profiles in tertiary marine sediments in west central South Carolina. *Geotechnical and Geophysical Site Characterization 4*, Vol. 2, CRC Press, London: 1159-1265.
- 32) Mayne, P.W. (2012). Session report: TS8-T4: Applications to shallow and deep foundations. *Geotechnical and Geophysical Site Characterization 4*, Vol. 2, CRC Press, London: 1047-1054.
- 33) Viswanath, M. and Mayne, P.W. (2012). Direct SPT method for footing response in sands using a database approach. *Geotechnical and Geophysical Site Characterization 4*, Vol. 2, CRC Press, London: 1131-1137.
- 34) Mayne, P.W. (2012). Invited keynote: Geotechnical exploration in the year 2012. *Proceedings 16th Nordic Geotechnical Meeting*, Vol. 1, Danish Geotechnical Society, Copenhagen: 11-27.
- 35) Mayne, P.W., Uzielli, M. and Illingworth, F. (2012). Shallow footing response on sands using a direct method based on cone penetration tests. *Full Scale Testing and Foundation Design* (Proceedings GSP 227 honoring Bengt Fellenius), ASCE, Reston, Virginia: 664-679.
- 36) Niazi, F.S. and Mayne, P.W. (2012). Field stiffness reduction evaluations from back-analysis of pile load tests. *Proceedings GeoCongress 2012* (GSP 225, Oakland), ASCE, Reston, Virginia: 155-160.
- 37) Ku, T. and Mayne, P.W. (2012). Feasibility and sensitivity analysis of at-rest lateral stress coefficient (K_0) evaluations using paired shear wave velocity modes. *Proceedings GeoCongress 2012* (GSP 225, Oakland), ASCE, Reston, Virginia: 2639-2648.
- 38) Mayne, P.W. (2012). SOA report: Geotechnical site characterization in the year 2012 and beyond. *State-of-the-Art and Practice in Geotechnical Engineering*, (GSP 226, GeoCongress, Oakland, CA), ASCE Press, Reston, Virginia: 157-186.
- 39) Uzielli, M. and Mayne, P.W. (2012). Load-displacement uncertainty of vertically-loaded shallow footings on sands and effects on probabilistic settlement estimation. *Georisk: Assessment and Management of Risk for Engineered Systems and GeoHazards*. Vol. 6 (1): Taylor & Francis: 50-69.
- 40) Niazi, F.S., Mayne, P.W., and Woeller, D.J. (2011). Calibration of hybrid SCE-CSSM analytical model for piezocone penetration in clays. *Proc. 14th Pan-Am Conference and 64th Canadian Geotechnical Conference*, Toronto. <http://panam-cgc2011.ca>
- 41) Mayne, P.W. and Powell, J.J.M. (2011). Ground property characterization by in-situ tests: a report of TC16 activities. *Proc. 17th Intl. Conf. Soil Mechanics & Geotechnical Engineering*, Vol. 5, IOS Press/Millpress, Amsterdam: 3754-3756.
- 42) Ku, T., Mayne, P.W., and Gutierrez, B.J. (2011). Hierarchy of V_s modes and stress-dependency in geomaterials. *Proc. 5th Intl. Symposium on Deformation Characteristics of Geomaterials*, Vol. 1, Korean Geotechnical Society, Seoul: 533-540.

- 43) Uzielli, M. and Mayne, P.W. (2011). Statistical characterization and stochastic simulation of load-displacement behavior of shallow footings. *Proceedings, GeoRisk 2011: Geotechnical Risk Management & Assessment* (Atlanta), GSP 224, ASCE, Reston: 672-679.
- 44) Niazi, F., Mayne, P.W., and Wang, Y. (2011). Statistical Analysis of Cone Penetration Tests and Soil Engineering Parameters at the National Geotechnical Experimentation Clay Site, Texas A&M University, *Proceedings GeoFrontiers 2011*, GSP 211, ASCE, Reston/Virginia.
- 45) Uzielli, M. and Mayne, P.W. (2011). Serviceability limit state CPT-based design for vertically loaded shallow footings on sand. *Geomechanics and Geoengineering*, Vol. 6, No. 2: 91-107.
- 46) Uzielli, M. and Mayne, P.W. (2011). Discussion of “Axial Compression of Footings in Cohesionless Soils. I: Load-Settlement Behavior” *J. Geotechnical & Geoenvironmental Engrg* 137 (1): 109-110.
- 47) Mayne, P.W, Peuchen, J., and Bouwmeester, D. (2010). Soil unit weight estimated from CPTu in offshore soils. *Frontiers in Offshore Geotechnics II* (Proc. ISFOG 2010, Perth), Taylor & Francis Group, London: 371-376.
- 48) Robertson, P.K. and Mayne, P.W., editors (2010). *Proceedings, 2nd Intl. Symposium on Cone Penetration Testing* (CPT'10), Huntington Beach, California, Vols 1, 2, and 3. Omnipress, 1371 pages.
- 49) Mayne, P.W., Niazi, F. and Woeller, D. (2010). Drilled shaft response in Piedmont residuum using elastic continuum analysis and seismic piezocone tests. *Deep Foundations and Geotechnical In-Situ Testing* (Proc. GeoShanghai 2010), GSP 205, ASCE, Reston, VA: 200-205.
- 50) Niazi, F.S. and Mayne, P.W. (2010). Evaluation of EURIPIDES pile load tests response from CPT data. *International Journal of GeoEngineering Case Histories*, IJGCH Vol. 1, Issue 4: 367-386. Download from: <http://casehistories.geoengineer.org>
- 51) Mayne, P.W. and Illingworth, F. (2010). Direct CPT method for footings on sand using a database approach. *Proceedings, 2nd Intl. Symposium on Cone Penetration Testing* (CPT'10), Vol. 3, Huntington Beach, California: 315-322. Website: www.cpt10.com
- 52) Niazi, F.S., Mayne, P.W., and Woeller, D.J. (2010). Review of CPT-based methods for response evaluation of driven piles in dense sands. Proc. Intl. Conf. on Geotechnical Engineering, Vol. 1, Pakistan Geotechnical Engineering Society, Lahore: 259-266.
- 53) Mayne, P.W. and Ellingwood, B.E. (2010). [Tribute to] George F. Sowers (1921-1996). *Memorial Tributes*, (Vol. 13), National Academy of Engineering, Washington DC: 285-288.
- 54) Mayne, P.W. (2010). Regional report for North America. *Proceedings, 2nd Intl. Symposium on Cone Penetration Testing* (CPT'10), Vol. 1, Huntington Beach, California: 275-312.
- 55) Mayne, P.W, Peuchen, J., and Bouwmeester, D. (2010). Unit weight evaluation from CPT. *Proceedings, 2nd Intl. Symposium on Cone Penetration Testing* (CPT'10), Vol. 2, Huntington Beach, California: 169-176.
- 56) Liao, T. and Mayne, P.W. (2010). Estimating seismic parameters associated with previous earthquakes by SCPTU soundings in the New Madrid Seismic Zone. *Proc. 5th International Conference: Recent Advances in Geotechnical Engineering and Soil Dynamics*, San Diego. Paper 411a.

- 57) Uzielli, M., Facciorusso, J., and Mayne, P.W. (2010). Spatial characterization of V_s at Amherst NGES site from SCPT using Bayesian kriging. *Proceedings, 2nd Intl. Symposium on Cone Penetration Testing (CPT'10)*, Vol. 2, Huntington Beach, California: 177-184. Website: www.cpt10.com
- 58) Mayne, P.W. (2010). Soil parameter evaluation from hybrid in-situ penetration-geophysics testing. *GeoFlorida: Advances in Analysis, Modeling, & Design*, GSP No. 199 (Proc. Fort Lauderdale), ASCE, Reston, Virginia: 1049-1058.
- 59) Trevor, F.A., Paisley, J.M., and Mayne, P.W. (2010). *Proceedings, 2nd Intl. Symposium on Cone Penetration Testing (CPT'10)*, Vol. 2, Huntington Beach, California: 519-526.
- 60) Niazi, F., Mayne, P.W., and Woeller, D. (2010). Axial elastic pile analysis by seismic piezocone tests. *Proc., 2nd Intl. Symposium on Cone Penetration Testing (CPT'10)*, Vol. 3, Huntington Beach, CA: 9-16.
- 61) Niazi, F., Mayne, P.W., and Woeller, D. (2010). Evaluating drilled shaft O-cell response at Golden Ears Bridge from in-situ seismic cone tests. *The Art of Foundation Engineering Practice*. Proceedings Volume in honor of Clyde Baker (GSP 198), ASCE, Reston, Virginia: 452-469.
- 62) Mayne, P.W., Coop, M.R., Springman, S., Huang, A-B., and Zornberg, J. (2009). State-of-the-Art Paper (SOA-1): Geomaterial Behavior and Testing. *Proc. 17th Intl. Conf. Soil Mechanics & Geotechnical Engineering*, Vol. 4 (ICSMGE, Alexandria, Egypt), Millpress/IOS Press Rotterdam: 2777-2872.
- 63) Mayne, P.W. (2009). ***Geoengineering Design Using the Cone Penetration Test***. 155 p. Published by ConeTec Inc., 12140 Vulcan Way, Richmond, BC, V6V 1J8: Website: www.conetec.com
- 64) Mayne, P.W. and Niazi, F.S. (2009). Evaluating axial elastic pile response from cone penetration test results. [The 2009 Michael W. O'Neill Lecture]. *DFI Journal* 3 (1), Deep Foundations Institute: 56-65. www.dfi.org
- 65) Mayne, P.W. and Woeller, D.J. (2009). Axial shaft response using elastic continuum and seismic piezocone results. *Contemporary Topics in In-Situ Testing, Analysis, and Reliability of Foundations*, GSP 186, ASCE, Reston/VA: 95-102.
- 66) Juang, C.H., Chen, C-H., and Mayne, P.W. (2008). CPTu-simplified stress-based model for evaluating soil liquefaction potential. *Soils & Foundations* 46 (6), Japanese Geotech Society: 755-770.
- 67) Mayne, P.W. (2008). Keynote paper: Piezocone profiling of clays for maritime site investigations. *Geotechnics in Maritime Engineering*, Vol. 1 (Proceedings, 11th Baltic Sea Geotechnical Conference, Gdansk), Polish Committee on Geotechnics: 333-350.
- 68) Burns, S.E., Mayne, P.W., and Santamarina, J.C., editors (2008). *Deformational Characteristics of Geomaterials*, Vol. 2 (Proceedings 4th International Symposium on Deformation Characteristics of Geomaterials, Atlanta), Millpress/IOS Press, Amsterdam: Vols. 1 and 2: total 953 pages.
- 69) Schneider, J.A., Randolph, M.F., Mayne, P.W., and Ramsey, N.R. (2008). Analysis of factors influencing soil classification using normalized piezocone tip resistance and pore pressure parameters. *Journal of Geotechnical & GeoEnvironmental Engrg.* 134 (11): 1569-1586.
- 70) Huang, A-B. and Mayne, P.W., editors (2008). *Geotechnical & Geophysical Site Characterization 2008*, Proc., 3rd Intl. Conf. on Site Characterization (ISC-3, Taipei), Taylor & Francis Group, London, total 1516 pages.

- 71) Larrahondo J.M., Atalay F., McGillivray A.V., and Mayne P.W. (2008). Evaluation of road subsurface-drain performance by geophysical methods. *Geosustainability and Geohazard Mitigation*. (Proc. Geo-Congress 2008: New Orleans, GSP 178), ASCE Reston VA: 538-545.
- 72) Mayne, P.W., Christopher, B.S., and DeJong, J. (2008). Chapter 9: "Ground Properties" in *Geology for Civil Engineers*, Thomas Telford Publishing, London: 222-251.
- 73) Uzielli, M. and Mayne, P.W. (2008). Comparative CPT-based classification of Cooper Marl. *Geotechnical & Geophysical Site Characterization 2008*, (Proc. ISC-3, Taipei), Taylor & Francis Group, London: 1203-1208.
- 74) Mayne, P.W. and Burns, S.E. (2008). Common analytical model for piezocone and dilatometer in clays. *Geotechnical & Geophysical Site Characterization 2008*, (Proc. ISC-3, Taipei), Taylor & Francis Group, London: 1111-1116.
- 75) Elhakim, A.F. and Mayne, P.W. (2008). Footing stress-displacement response using small-strain modulus. *Deformational Characteristics of Geomaterials*, Vol. 2 (Proc. 4th Intl. Symposium DCG, Atlanta), Millpress/IOS Press, Amsterdam: 937-944.
- 76) Mayne, P.W. and McGillivray, A.V. (2008). Improved shear wave measurements using autoseis sources. *Deformational Characteristics of Geomaterials*, Vol. 2 (Proc. 4th ISDCG, Atlanta), Millpress/IOS Press, Amsterdam: 853-860.
- 77) Schneider, J.A, Randolph, M.F, Mayne, P.W., and Ramsey, N. (2008). Influence of partial consolidation during penetration on normalized soil classification by piezocone. *Geotechnical & Geophysical Site Characterization 2008*, (ISC-3, Taipei), Taylor & Francis Group, London: 1159-1165.
- 78) Mayne, P.W. and Woeller, D.J. (2008). O-cell response using elastic pile and seismic piezocone tests. *Proceedings of the Second British Geotechnical Association International Conference on Foundations (ICOF 2008)*, Vol. 1, Dundee, IHS BRE Press, UK: 235-246.
- 79) Camp, W.M., Mayne, P.W., and Rollins, K.M. (2008). Cone penetration testing before, during, and after blast-induced liquefaction. *Geotechnical Earthquake Engineering & Soil Dynamics IV*, (Proc. UC-Davis), GSP No. 181, ASCE, Reston/VA, CD paper No. 120.
- 80) McGillivray, A.V. and Mayne, P.W. (2008). An automated seismic source for continuous shear wave profiling. *Geotechnical & Geophysical Site Characterization 2008*, (Proc. ISC-3, Taipei), Taylor & Francis Group, London: 1347-1352.
- 81) Mayne, P.W. and Woeller, D.J. (2008). Evaluating O-cell response from seismic cone tests. *Proceedings GeoEdmonton 2008* (61st Canadian Geotechnical Conference), Canadian Geotechnical Society.
- 82) Mayne, P.W. (2007). *NCHRP Synthesis 368 on Cone Penetration Test*. Transportation Research Board, National Academies Press, Washington, D.C., 118 pages. Download from: www.trb.org
- 83) Mayne, P.W. (2007). Invited Overview Paper: In-situ test calibrations for evaluating soil parameters, *Characterization & Engineering Properties of Natural Soils*, Vol. 3 (Proc. Singapore 2006), Taylor & Francis Group, London: 1602-1652.

- 84) Peuchen, J. and Mayne, P.W. (2007). Rate effects in vane shear testing. Proc. *6th Intl. Offshore Site Investigation and Geotechnics Conference: Confronting New Challenges & Sharing Knowledge*, London, SUT = Society for Underway Technology, UK: 259-266.
- 85) Cruz, I.R. and Mayne, P.W. (2006). "Interpretation of CPTU Tests carried out in lacustrine Mexico City Clay", *Site & Geomaterial Characterization* (GSP 149), Proc. GeoShanghai, ASCE: 24-31.
- 86) Elhakim, A.F. and Mayne, P.W. (2006). "Evaluating footing response from seismic piezocone tests", *Site & Geomaterial Characterization* (GSP 149), Proc. GeoShanghai, ASCE: 255-260.
- 87) Mayne, P.W. (2006). "Interrelationships of DMT and CPTU readings in soft clays", *Flat Dilatometer Testing* (Proc. 2nd Intl. Conf. DMT), Washington, DC: 231-236.
- 88) Liao, T. and Mayne, P.W. (2006). "Automated post-processing of shear wave signals", *Proc. 8th US National Conference on Earthquake Engineering*, San Francisco, pp. 460.1-460.10.
- 89) Hegazy, Y.A. and Mayne, P.W. (2006). "A global statistical correlation between shear wave velocity and cone penetration data", *Site & Geomaterial Characterization* (GSP 149), [Proc. GeoShanghai], ASCE, Reston/VA: 243-248.
- 90) Mayne, P.W. (2006). The 2006 James K. Mitchell Lecture: Undisturbed sand strength from seismic cone tests. Presented at the GeoShanghai Conference, China (6-8 June 2006): *Geomechanics and GeoEngineering* 1 (4), Taylor & Francis Group, London: 239-257.
- 91) Mayne, P.W. (2006). Practitioner/Academic Forum on Geotechnical Engineering. *Proceedings, 16th Intl. Conf. Soil Mechanics & Geotechnical Engineering - Geotechnology in Harmony with the Global Environment*, Vol. 5, Osaka, Millpress/Rotterdam: 2922 and 2931.
- 92) Mayne, P.W. and Campanella, R.G. (2005). "Versatile site characterization by seismic piezocone tests", *Proceedings, 16th International Conference on Soil Mechanics & Geotechnical Engineering*, (ICSMGE, Osaka), Vol. 2, Millpress, Rotterdam: 721-724.
- 93) Mayne, P.W. and Pearce, R.A. (2005). "Site characterization of Bootlegger Cove Formation clay for Port of Anchorage", *Frontiers in Offshore Geotechnics* (Proc. ISFOG, Perth), Taylor & Francis Group, London: 951-955.
- 94) Abouleid, A. E., Mayne, P. W., and Abdelrahman G. E. (2005) "Lateral Pile Response and Consolidation Effects". *Proceedings, Fifth International Geotechnical Engineering Conference*, Cairo University, pp.245-256
- 95) Liao, T. and Mayne, P.W. (2005). "Cone penetrometer measurements during Mississippi embayment seismic excitation experiment", *Earthquake Engineering & Soil Dynamics* (Proceedings, GeoFrontiers GSP 133, Austin, TX). CD Version, ASCE, Reston/Virginia.
- 96) Mayne, P.W. (2005). "Unforeseen large settlements of mat foundation on Piedmont residuum", *International Journal of Geoenvironment Case Histories: Vol. 1 (1): 5-17. Online GeoEngineer journal at: <http://casehistories.geoengineer.org/contents.html>*
- 97) Mayne, P.W. (2005). Invited Keynote: "Integrated Ground Behavior: In-Situ and Lab Tests", *Deformation Characteristics of Geomaterials*, Vol. 2 (Proc. IS Lyon'03), Taylor & Francis Group, London: 155-177.

- 98) Viana da Fonseca, A. and Mayne, P.W., editors (2004). *Geotechnical & Geophysical Site Characterization*, Volumes 1 and 2, (Proc. ISC-2, Porto), Millpress, Rotterdam, 1910 pages.
- 99) Mayne, P.W. and Liao, T. (2004). "CPT-DMT interrelationships in Piedmont residuum", *Geotechnical & Geophysical Site Characterization*, Vol. 1, (Proc. ISC-2, Porto), Millpress, Rotterdam, 345-350.
- 100) Fellenius, B.H., Hussein, M., Mayne, P.W., and McGillivray, R.T. (2004). Murphy's Law and the Pile Prediction Event at the 2002 ASCE Geo-Institute's Deep Foundation Conference. *Proceedings DFI 29th Annual Meeting*, Vancouver, Deep Foundation Institute, September 29 - October 1, 2004.
- 101) Trevor, F. and Mayne, P.W. (2004). "Undrained shear strength and OCR of marine clays from piezocone test results", *Geotechnical & Geophysical Site Characterization*, Vol. 1, (Proc. ISC-2, Porto), Millpress, Rotterdam, 391-398.
- 102) Schneider, J.A., McGillivray, A.V. and Mayne, P.W. (2004). "Evaluation of SCPTU intra-correlations at sand sites in the Lower Mississippi River valley, USA", *Geotechnical & Geophysical Site Characterization*, Vol. 1, (Proc. ISC-2, Porto), Millpress, Rotterdam, 1003-1010.
- 103) Mayne, P.W. and Hight, D.W. (2004). "General report: case studies involving practical projects", *Geotechnical & Geophysical Site Characterization*, Vol. 2, (Proc. ISC-2, Porto), Millpress, Rotterdam, 1033-1034.
- 104) Jadi, H., Luna, R., Hoffman, D. and Mayne, P.W. (2004). "Site characterization of paleoliquefaction features in Missouri", *Geotechnical & Geophysical Site Characterization*, Vol. 2, (Proc. ISC-2, Porto), Millpress, Rotterdam, 1131-1138.
- 105) McGillivray, A.V. and Mayne, P.W. (2004). "Seismic piezocone and seismic flat dilatometer tests at Treporti", *Geotechnical & Geophysical Site Characterization*, Vol. 2, (Proc. ISC-2, Porto), Millpress, Rotterdam, 1695-1700.
- 106) Mayne, P.W. and Zavala, G. (2004). "Axial shaft response from seismic piezocone tests". *GeoSupport 2004*, GSP 124, Joint ADSC-ASCE GeoInstitute Conference, Orlando, 429-440.
- 107) Mayne, P.W. (2004). "Lateral drilled shaft response from dilatometer tests". *GeoSupport 2004*, GSP 124, Joint ADSC-ASCE Conference, Orlando, 415-428.
- 108) Mayne, P.W. and Kulhawy, F.H. (2003). *Geotechnique* 53 (4). Discussion: "Relationship between K_0 and overconsolidation ratio: a theoretical approach, 450-454.
- 109) Gombert, J., Waldron, B., Schweig, E., Hwang, H., Webbers, A., VanArsdale, R., Tucker, K., Williams, R., Street, R., Mayne, P.W., Stephenson, W., Odum, J., Cramer, C., Updike, R., Hutson, S. and Bradley, M. (2003). "Lithology and shear-wave velocity in Memphis, Tennessee". *Bulletin of the Seismological Society of America*, Vol. 93 (3), 986-997.
- 110) Elhakim, A.F. and Mayne, P.W. (2003). "Derived stress-strain-strength of clays from seismic cone tests". *Deformation Characteristics of Geomaterials*, Vol. 1 (Lyon), Swets & Zeitlinger, Lisse, 81-87.
- 111) Burns, S.E. and Mayne, P.W. (2003). Interpretation of seismic piezocone results for the estimation of hydraulic conductivity in clays. *ASTM Geotechnical Testing Journal* 25 (3), 333-340.

- 112) Mayne, P.W., Puzrin, A. and Elhakim, A.F. (2003). "Field characterization of small- to high-strain behavior of clays". *Soil and Rock America 2003*, (Proc. 12th Pan American Conf. on Soil Mechanics & Geotechnical Engineering, Vol. 1, Cambridge, MA), Verlag Glückhauf, Essen: 307-314.
- 113) Mayne, P.W. (2003). "Class A footing response prediction from seismic cone tests". *Deformation Characteristics of Geomaterials*, Vol. 1 (Lyon), Swets & Zeitlinger, Lisse, 883-888.
- 114) Burns, S.E. and Mayne, P.W. (2003). "Analytical cavity expansion-critical state model for piezocone dissipation in fine-grained soils". *Soils & Foundations* 42 (2), 131-137.
- 115) Mayne, P.W. and Brown, D.A. (2003). "Site characterization of Piedmont residuum of North America". *Characterization and Engineering Properties of Natural Soils*, Vol. 2, Swets & Zeitlinger, Lisse, 1323-1339.
- 116) Liao, T., Mayne, P.W., Tuttle, M.P., Schweig, E.S. and Van Arsdale, R.B. (2002). "CPT site characterization for seismic hazards in the New Madrid seismic zone". *Soil Dynamics and Earthquake Engineering* 22, 943-950.
- 117) Casey, T.J. and Mayne, P.W. (2002). "Development of an electrically-driven automatic downhole seismic source". *Soil Dynamics and Earthquake Engineering* 22, 951-957.
- 118) Camp, W.M, Mayne, P.W., and Brown, D.A. (2002). "Drilled shaft axial design values: Predicted vs. Measured response in a calcareous clay". *Deep Foundations 2002*, Vol. 2, GSP No. 116, ASCE, Reston/VA, 1518-1532.
- 119) Camp, W.M., Mayne, P.W., and Brown, D.A. (2002). "Construction method effects on axial drilled shaft performance. *Deep Foundations 2002*, Vol. 2, GSP No. 116, ASCE, Reston/VA, 193-208.
- 120) Hegazy, Y.A. and Mayne, P.W. (2002). "Objective Site Characterization Using Clustering of Piezocone Data". *ASCE Journal of Geotechnical & Geoenvironmental Engineering* 128 (12), 986-996.
- 121) Mayne, P.W., Fahey, M., Massarsch, R., Huang, A-B, Ervin, M., and Tohumcu, P. (2002). "General Report on Ground Property Characterization by In-Situ Tests", Session 1.2, *Proceedings, 15th International Conference on Soil Mechanics and Geotechnical Engineering*, Istanbul, Vol. 4, 2703-2704.
- 122) Mayne, P.W. and Elhakim, A. (2002). "Axial Pile Response Evaluation by Geophysical Piezocone Tests", *Proceedings, Ninth International Conference on Piling & Deep Foundations*, DFI, Nice, Presses de l'ecole nationale des Ponts et chaussees, 543-550.
- 123) Burns, S.E. and Mayne, P.W. (2002). "Analytical Cavity Expansion-Critical State Model for Piezocone Dissipation in Fine-Grained Soils". *Soils & Foundations*, Vol. 42 (2), 131-137.
- 124) Burns, S.E. and Mayne, P.W. (2002). "Interpretation of Seismic Piezocone Results for the Evaluation of Hydraulic Conductivity in Clays", *ASTM Geotechnical Testing Journal*, Vol. 25 (3), 333-340.
- 125) Mayne, P.W., Christopher, B., Berg, R., and DeJong, J. (2002). *Subsurface Investigations - Geotechnical Site Characterization*. Publication No. FHWA-NHI-01-031, National Highway Institute, Federal Highway Administration, Washington, D.C., 301 pages.

- 126) Liao, T. and Mayne, P.W. (2002). "Evaluation of Dynamic Soil Properties and Soil Liquefaction Potential by Seismic Piezocone", *Proceedings, ICANCEER*, Session 3A, Shangri-La Hotel, Harbin, China.
- 127) Finke, K.A., and Mayne, P.W. (2002). Piezocone penetration testing in Atlantic Piedmont residuum. *Journal of Geotechnical & Geoenvironmental Engineering* 128 (5), 443-446.
- 128) Mayne, P.W., Fahey, M., Massarsch, R., Huang, A-B, Ervin, M., and Tohumcu, P. (2002). "General Report on Ground Property Characterization by In-Situ Tests", Session 1.2, *Proceedings, 15th International Conference on Soil Mechanics and Geotechnical Engineering*, Istanbul, Vol. 4, 2703-2704.
- 129) Liao, T. and Mayne, P.W. (2002). "Evaluation of Soil Liquefaction Potential and Dynamic Soil Properties by Seismic Piezocone", *Proceedings, International Conference on Advances & New Challenges in Earthquake Engineering Research (ANCER 2002)*, Polytechnic University, Hong Kong, 115-122.
- 130) Elhakim, A. and Mayne, P.W. (2002). Discussion to "Construction effects on drilled shaft response", *Journal of Geotechnical & Geoenvironmental Engineering*, Vol. 128 (5), 448-450.
- 131) Mayne, P.W., Burns, S.E., and Chen, B.S-Y. (2002). Discussion to "Undrained cavity expansion: piezocone penetration", *Geotechnique*, Vol. 52 (4), 307-311.
- 132) Hegazy, Y.A. and Mayne, P.W. (2002). "Objective Site Characterization Using Clustering of Piezocone Data". *ASCE Journal of Geotechnical & Geoenvironmental Engineering*, Vol. 128 (12), 986-996.
- 133) Sabatini, P.J., Bachus, R.C., Mayne, P.W., Schneider, J.A. and Zettler, T.E. (2002). *Manual on Evaluating Soil & Rock Properties, Geotechnical Engineering Circular No. 5*, Report No. FHWA-IF-02-034, Federal Highway Administration, Washington, D.C., 385 pages.
- 134) Mayne, P.W. and Schneider, J.A (2001). "Evaluating Axial Drilled Shaft Response by Seismic Cone", *Foundations & Ground Improvement*, GSP No. 113, (Proceedings, GeoOdyssey 2001), ASCE, Reston/VA, 655-669.
- 135) Mayne, P.W. (2001). Invited Keynote: "Stress-Strain-Strength-Flow Parameters from Enhanced In-Situ Tests", *Proceedings, International Conference on In-Situ Measurement of Soil Properties & Case Histories (In-Situ 2001)*, Bali, Indonesia, 27-47.
- 136) Finke, K., Mayne, P.W., and Klopp, R. (2001). "Piezocone Penetration in Atlantic Piedmont Residuum", *ASCE Journal of Geotechnical & Geoenvironmental Engineering* 127 (1), 48-54.
- 137) Mayne, P.W. and Poulos, H.G. (2001). Closure: "Approximate Displacement Influence Factors for Elastic Shallow Foundations", *ASCE Journal of Geotechnical & Geoenvironmental Engineering*, Vol. 127 (1), 100-102.
- 138) Schneider, J.A., Mayne, P.W., and Rix, G.J. (2001). "Geotechnical Site Characterization in the Greater Memphis Area Using Cone Penetration Tests", *Engineering Geology*, Vol. 62 (1-3), 169-184.
- 139) Schneider, J.A., Peuchen, J., Mayne, P.W. and McGillivray, A.V. (2001). Piezocone profiling of residual soils. *Proceedings, International Conference on In-Situ Measurement of Soil Properties and Case Histories*, Bali, Indonesia, 593-598.

- 140) Mayne, P.W. and Elhakim, A.F. (2001). In-Situ Plasma Vitrification of Geomaterials. *Proceedings, 15th International Conference on Soil Mechanics & Geotechnical Engineering*, Vol. 3, Istanbul, Balkema/Rotterdam, 1807-1810.
- 141) Celes, J.D. & Mayne, P.W. 2000. "Remediation and Transformation of Kaolin by Plasma Magmavication". *Transportation Research Record* 1714, National Academy Press, Washington, D.C., 65-74.
- 142) Schneider, J.A. and Mayne, P.W. (2000). "Liquefaction Response of Soils in Mid-America Evaluated by Seismic Cone Tests", *Innovations & Applications in Geotechnical Site Characterization* (GSP No. 97), ASCE, Reston 1-16.
- 143) McGillivray, A., Casey, T., Mayne, P.W. and Schneider, J.A. (2000). "An Electro-Vibrocone for Site-Specific Evaluation of Soil Liquefaction Potential", *Innovations & Applications in Geotechnical Site Characterization* (GSP 97), ASCE, Reston, 106-117.
- 144) Schneider, J.A. and Mayne, P.W. (2000). "Ground Improvement Assessment Using SCPTus and Crosshole Data", *Innovations & Applications in Geotechnical Site Characterization* (GSP 97), ASCE, Reston/VA: 169-180.
- 145) Mayne, P.W, Burns, S.E., and Circeo, L.J (2000). "High Temperature Magmavication of Geomaterials by Nontransferred Plasma Arc", *ASCE Journal of Geotechnical & Geoenvironmental Engineering*, Vol. 126 (5): 387-396.
- 146) Abouleid, A. E., Mayne, P. W., Agaiby, S. W., and Abdelrahman G. E. (2000) "Time Dependent behavior of Laterally Loaded Piles". *Proceedings, Fourth International Geotechnical Engineering Conference*, Cairo University: 269-286
- 147) Mayne, P.W. and Hryciw, R.D., editors (2000). *Innovations & Applications in Geotechnical Site Characterization*, Geotechnical Special Publication No. 97, Proc. Geo-Institute Conference, Denver, published by ASCE, Reston, VA, 248 pages.
- 148) Mayne, P.W., Brown, D., Vinson, J., Schneider, J.A., and Finke, K.A. (2000). "Site characterization of Piedmont residual soils at the NGES, Opelika, Alabama", *National Geotechnical Experimentation Sites*, (GSP No. 93), American Society of Civil Engineers, Reston/VA, 160-185.
- 149) Mayne, P.W. (2000). "Geotechnical Site Characterization by Seismic Piezocone Tests", *Proceedings, Fourth International Geotechnical Conference*, Soil Mechanics & Foundations Research Laboratory, Cairo University, Giza, Jan. 24-27, 91-120.
- 150) Burns, S.E. and Mayne, P.W. (1999). "Pore Pressure Dissipation Behavior Surrounding Driven Piles and Cone Penetrometers", *Transportation Research Record*, No. 1675, National Academy Press, Washington, D.C., 17-23.
- 151) Mayne, P.W. (1999). "Seismic Piezocone & Flat Dilatometer Tests for Geotechnical Site Characterization", *ASCE Atlanta Geotechnical Seminar*, November 16, 1999, Georgia Power Bldg, Atlanta, 25 p.
- 152) Mayne, P.W. and Schneider, J.A. (1999). Discussion of Yu, H.S. & Mitchell, J.K. "Analysis of Cone Resistance: Review of Methods", *ASCE Journal of Geotechnical & Geoenvironmental Engineering*, Vol. 125, No. 9, pp. 812-815.

- 153) Schneider, J.A., Hoyos, L., Mayne, P.W., Macari, E.J., and Rix, G.J. (1999). "Field and Laboratory Measurements of Dynamic Shear Modulus of Piedmont Residual Soils", *Behavioral Characteristics of Residual Soils (GSP 92)*, ASCE, Reston/VA, pp. 12-25.
- 154) Mayne, P.W. and Poulos, H.G. (1999). "Approximate Displacement Influence Factors for Elastic Shallow Foundation Systems", *ASCE Journal of Geotechnical & Geoenvironmental Engineering*, Vol. 125, No. 6, 453-460.
- 155) Mayne, P.W. (1999). "Site Characterization by Seismic Piezocone & Dilatometer Tests", *ASCE Pittsburgh Geotechnical Seminar*, Engineers Society of Western Pennsylvania, Nov. 13, 1999, 25 p.
- 156) *Mayne, P.W., Martin, G.K., and Schneider, J.A. (1999). "Flat Dilatometer Modulus Applied to Drilled Shaft Foundations in Piedmont Residuum", *Behavioral Characteristics of Residual Soils (GSP 92)*, ASCE, Reston/VA, 101-112.
- 157) Finke, K. And Mayne, P.W. (1999). "Piezocone Response in Piedmont Residual Geomaterials", *Behavioral Characteristics of Residual Soils (GSP 92)*, ASCE, Reston/VA, 1-11.
- 158) Wise, C.M., Mayne, P.W., and Schneider, J.A. (1999). "Prototype Piezovibrocone for Evaluating Soil Liquefaction Susceptibility", *Proceedings, Second International Conference on Earthquake Geotechnical Engineering*, Vol. 2 (Lisbon), A.A. Balkema, Rotterdam, pp. 537-542.
- 159) Mayne, P.W., Schneider, J.A., and Martin, G.K. (1999). "Small- and High-Strain Soil Properties From Seismic Flat Dilatometer Tests", *Pre-Failure Deformation Characteristics of Geomaterials*, Vol 1, (Proc. Torino Conference, Italy), A.A. Balkema, Rotterdam, 419-426.
- 160) Mayne, P.W. (1999), "Site Characterization Aspects of Piedmont Residual Soils in Eastern U.S.", *Proceedings, 14th International Conference on Soil Mechanics and Geotechnical Engineering*, Vol. 4, (Hamburg), A.A. Balkema, Rotterdam, pp. 2191-2195.
- 161) Finke, K. and Mayne, P.W. (1999), "Piezocone Tests in Residual Silts of the U.S. Atlantic Piedmont", *Proceedings, XI PanAmerican Conference on Soil Mechanics & Geotechnical Engineering*, Vol. 1, Iguaçu Falls, Brazil, Vol. 2, pp. 329-334 .
- 162) Mayne, P.W. (1999). "Enhanced In-Situ Tests for Geotechnical Site Characterization", *Proceedings, 47th Annual Geotechnical Engineering Conference*, Univ. of Minnesota, Minneapolis, Feb. 19, 1999, sponsored by the Minnesota Geotechnical Society, pp. 71-99.
- 163) Burns, S.E. and Mayne, P.W. (1998). "Monotonic and Dilatory Porewater Pressures During Piezocone Dissipation Tests in Clay", *Canadian Geotechnical Journal*, Vol. 35 (6), pp. 1063-1073.
- 164) Mayne, P.W. and Schneider, J.A. (1998). "Characterization of Geomaterials by Enhanced In-Situ Testing", *Proceedings, 27th Annual Midwest Geotechnical Conference*, Sheraton Hotel, Lansing, Oct. 14-16, 1998, sponsored by Michigan DOT, Lansing, 27 p.
- 165) Robertson, P.K. and Mayne, P.W., editors (1998). *Geotechnical Site Characterization*, Volumes 1 and 2 (Proc. ISC-1, Atlanta), Balkema Publishers, Rotterdam, 1555 p.
- 166) Burns, S.E. and Mayne, P.W. (1998). *Penetrometers for Soil Permeability and Chemical Detection, Report No. GIT-CEE/GEO-91-1*, submitted to National Science Foundation and U.S. Army Research Office, issued by Georgia Institute of Technology, 144 p.

- 167) Mayne, P.W. and Martin, G.K. (1998). "Commentary on Marchetti Flat Dilatometer Correlations in Soils", *ASTM Geotechnical Testing Journal*, Vol. 21, No. 3, pp. 222-239.
- 168) Martin, G.K. and Mayne, P.W. (1998). Seismic Flat Dilatometer Tests in Piedmont Residual Soils", *Geotechnical Site Characterization*, Vol. 2, Balkema, Rotterdam, pp. 837-843.
- 169) Mayne, P.W., Hegazy, Y.A., and Martin, G.K. (1998). Discussion of "Dynamic Properties of Piedmont Residual Soils", *ASCE Journal of Geotechnical & Geoenvironmental Engineering*, Vol. 124 (6), pp. 553-554.
- 170) Mayne, P.W. and Harris, D.E. (1998). Discussion of "Deformation Characteristics of Piedmont Residual Soils", *ASCE Journal of Geotechnical & Geoenvironmental Engrg*, Vol. 124 (6), pp. 555-556.
- 171) Schneider, J.A., Mayne, P.W., Hendren, T.L., and Wise, C.M., (1998). "Initial Development of an Impulse Piezovibrocone for Liquefaction Evaluation", *Physics & Mechanics of Liquefaction*, (Proc. NSF Workshop, Johns Hopkins), A.A. Balkema, Rotterdam, pp. 341-354.
- 172) Burns, S.E. and Mayne, P.W. (1998). "Integrated Opto-Electronic Chemical Sensor for BTEX Detection in Cone Penetrating Testing", *Geotechnical Site Characterization*, Vol. 1, Balkema, Rotterdam, pp. 623-628.
- 173) Mayne, P.W., Robertson, P.K., and Lunne, T. (1998). "Clay Stress History Evaluated From Seismic Piezocone Tests", *Geotechnical Site Characterization*, Vol. 2, Balkema, Rotterdam, pp. 1113-1118.
- 174) Hegazy, Y.A. and Mayne, P.W. (1998). "Delineating Geostratigraphy by Clustering of Piezocone Data", *Geotechnical Site Characterization*, Vol. 2, Balkema, Rotterdam, pp. 1069-1074.
- 175) Mayne, P.W. and Dumas, C. (1998). "Enhanced In-Situ Testing for Site Characterization", *Proceedings, 15th Annual Geotechnical Seminar (In-Situ Soil Testing & Analysis)*, ASCE Nebraska Section, Peter Kiewit Conference Center, Omaha, Nebraska, Feb. 27, 1998, 1- 25.
- 176) Martin, G.K. and Mayne, P.W. (1997). "Seismic Flat Dilatometer Tests in Connecticut Valley Varved Clay", *ASTM Geotechnical Testing Journal* 20 (3), pp. 357-361.
- 177) Mayne, P.W. and Dumas, C. (1997). "Enhanced In-Situ Testing for Site Characterization", *Proceedings, 29th Annual Southeastern Transportation Geotechnical Engineering Conference*, Radisson Read House Hotel, Oct. 27-31, 1997, sponsored by the Tennessee DOT, Chattanooga/TN, 25 p.
- 178) Mayne, P.W. (1997). "Plasma Magmavication of Geomaterials", *Proceedings, Site Characterization for Environmental & Geotechnical Engineering Projects*, Delta Vancouver Airport Hotel & Marina, sponsored by ConeTec Investigations & Mudbay Drilling Co, Oct. 1, 1997, 21 pages.
- 179) Mayne, P.W. (1997). "Enhancements in Geotechnical Site Characterization", *IX Jornada Geotecnicas de Ingenieria Colombiana*, Santafe de Bogota, Oct. 15-17, 1997, 26 pages.
- 180) Frost, J.D. and Mayne, P.W. (1997), "Professor George F. Sowers (1921-1996)", *Journal of Geotechnical & Geoenvironmental Engineering*, Vol. 123, No. 6, p. 497.

- 181) Mayne, P.W. and Dumas, C. (1997), "Enhanced In-Situ Geotechnical Testing for Bridge Foundations", *Transportation Research Record* 1569, Washington, D.C., pp. 26-34.
- 182) Mayne, P.W. (1997), "George F. Sowers (1921-1996)", *Geotechnical News* 15 (1), March, BiTech Publishers, Vancouver, p. 55.
- 183) Mayne, P.W., Kulhawy, F.H., and Trautmann, C.H. (1997). Closure, "Laboratory Modeling of Laterally-Loaded Drilled Shafts in Clay", *Journal of Geotechnical and Geoenvironmental Engineering*, Vol. 123 (5), pp. 490-491.
- 184) Hegazy, Y.A., Mayne, P.W., and Rouhani, S. (1997), "Three Dimensional Geostatistical Evaluation of Cone Data in Piedmont Residual Soils", *Proceedings, 14th International Conference on Soil Mechanics & Foundation Engineering*, Vol. 1 (Hamburg), A.A. Balkema, Rotterdam, pp. 683-686.
- 185) Chen, B.S.Y. and Mayne, P.W. (1996). "Statistical Relationships Between Piezocone Measurements and Stress History of Clays", *Canadian Geotechnical Journal* 33 (3), pp. 488-498.
- 186) Burns, S.E. and Mayne, P.W. (1996). "Small- and High-Strain Measurements of In-Situ Soil Properties Using the Seismic Cone Penetrometer", *Transportation Research Record* No. 1548, National Academy Press, Washington D.C., pp. 81-88.
- 187) Hegazy, Y.A., Mayne, P.W., and Rouhani, S., (1996). "Geostatistical Assessment of Spatial Variability in Piezocone Tests", *Uncertainty in the Geologic Environment: From Theory to Practice* (GSP 58), Vol. 1, ASCE, New York, pp. 254-268.
- 188) Mayne, P.W. and Rix, G.J. (1996). Closure, "Correlations Between Shear Wave Velocity and Cone Tip Resistance in Natural Clays", *Soils & Foundations*, Vol. 36 (3), pp. 144-145.
- 189) Vidic, S.D., Mayne, P.W., Beckwith, G.H. and Burns, S.E. (1996), "Seismic CPT Profiling of Mine Tailings Dams", *Proceedings, International Symposium on Seismic and Environmental Aspects of Dams Design*, ISSMFE & ICOLD, Santiago, Chile.
- 190) Mayne, P.W. and Beaver, J.R. (1996), "High-Temperature Plasma Vitrification of Geomaterials", *Electronic Journal of Geotechnical Engineering* October 1996: <http://www.ejge.org>
- 191) Mayne, P.W. and Mulholland, J., editors (1995). *Proceedings, International Symposium on Environmental Technologies: Plasma Systems & Applications*, Vol. II, Georgia Institute of Technology & University of Bordeaux I, Atlanta, Volumes I and II, 777 pages.
- 192) Mayne, P.W. (1995). CPT determination of OCR and lateral stresses in clean quartz sands", *Proceedings, International Symposium on Cone Penetration Testing*, Vol. 2, Linköping, Swedish Geotechnical Society, pp. 215-220.
- 193) Beaver, J.R. and Mayne, P.W. (1995). "Baseline Geoenvironmental Experiments for In-Situ Soil Transformation by Plasma Torch", *Proceedings, International Symposium on Environmental Technologies: Plasma Systems & Applications*, Vol. II, Georgia Inst. of Technology/Atlanta & Univ. of Bordeaux I, France, Omni Hotel, Atlanta, pp. 617-630.
- 194) Mayne, P.W. (1995). "Undrained Plastic Modulus From Original Cam-Clay", *ASCE Journal of Geotechnical Engineering* 121 (5), pp. 448-451.

- 195) Mayne, P.W. and Rix, G.J. (1995). "Correlations Between Shear Wave Velocity and Cone Tip Resistance in Clays", *Soils and Foundations* 35 (2), pp. 107-110.
- 196) Mayne, P.W., (1995). "Profiling Yield Stress in Clays by In-Situ Tests", *Transportation Research Record 1479*, National Academy Press, Washington, D.C, pp. 43-50.
- 197) Mayne, P.W., Holtz, R.D., and Tumay, M.T. (1995). "State-of-Practice in Sampling and Testing of Overconsolidated Clays", *Transportation Research Record 1479*, National Academy Press, Washington, D.C., pp. 1-6.
- 198) Mayne, P.W., Kulhawy, F.H., and Trautmann, C.H. (1995). "Model Testing of Laterally-Loaded Deep Foundations", *ASCE Journal of Geotechnical Engineering* 121 (12), pp. 827-835.
- 199) Mayne, P.W. and Rix, G.J. (1995). Discussion of "Lab and Field Determinations of Small-Strain Shear Modulus for a Structured Champlain Clay", *Canadian Geotechnical Journal* 32 (1), pp. 193-194.
- 200) Mayne, P.W., (1995). "Foundation Response by G/G_{max} Modulus Degradation Relationships in Soils", *Proceedings*, NSF Workshop on U.S.-Taiwan Geotechnical Collaboration, Taipei, sponsored by National Science Foundation/USA and National Science Council/ROC, pp. 136-148.
- 201) Vidic, S.D., Beckwith, G.H. and Mayne, P.W. (1995), "Profiling Mine Tailings With CPT", *Proceedings, Cone Penetration Testing (CPT'95)*, Vol. 2, Linköping, Sweden, pp. 607-612.
- 202) Mayne, P.W. and Kulhawy, F.H. (1995), "First-Order Estimate of Yield Stresses in Clays by Cone and Piezocone", *Proceedings, Cone Penetration Testing*, Vol. 2, Linköping, Sweden, pp. 221-226.
- 203) Chen, B.S-Y. and Mayne, P.W. (1995), "Type 1 and 2 Piezocone Evaluations of OCR in Clays", *Proceedings, Cone Penetration Testing*, Vol. 2, Linköping, Sweden, pp. 143-148.
- 204) Mayne, P.W., Mitchell, J.K., Auxt, J.A. and Yilmaz, R. (1995), "U.S. National Report on Cone Penetration Testing", *Proceedings, International Symposium on Cone Penetration Testing (CPT'95)*, Vol. 1, Linköping, Sweden, [invited paper for US National Society of ISSMGE], pp. 263-276.
- 205) Burns, S.E. and Mayne, P.W. (1995), "Coefficient of Consolidation from Piezocone Dissipation Tests in Over-consolidated Clays", *Proceedings, Cone Penetration Testing (CPT'95)*, Vol. 2, Linköping, Sweden, Swedish Geotechnical Society Report 3:95, pp. 137-142.
- 206) Hegazy, Y.A. and Mayne, P.W. (1995), "Statistical Correlations Between V_s and CPT Data for Different Soil Types", *Proceedings, Cone Penetration Testing (CPT'95)*, Vol. 2, Linköping, Swedish Geotechnical Society, pp. 173-178.
- 207) Mayne, P.W. (1994), "Plasma Vitrification of Contaminated Ground and Wastes", *Geotechnical News* 12 (4), December 1994, BiTech Publishers, Vancouver, pp. 41-43.
- 208) Chen, B.S-Y. and Mayne, P.W. (1994), *Profiling the Overconsolidation Ratio of Clays by Piezocone Tests, Report No. GIT-CEE/GEO-94-1* submitted to National Science Foundation by Georgia Institute of Technology, Atlanta, August 1994, 280 p.
- 209) Mayne, P.W., Hover, K.C., and Kulhawy, F.H. (1994). "Microconcrete for Construction of Model Drilled Shaft Foundations", *Construction and Building Materials*, Vol. 8, No. 2, Butterworth-Heinemann, Oxford, U.K., pp. 127-135.

- 210) Mayne, P.W., Kulhawy, F.H., and Trautmann, C.H., (1994). "Nonlinear Undrained Lateral Response of Rigid Drilled Shafts Using Continuum Theory", *Vertical and Horizontal Deformations of Foundations and Embankments* (1), ASCE GSP 40, pp. 663-676.
- 211) Harris, D.E. and Mayne, P.W., (1994). "Axial Load Behavior of Drilled Shaft Foundations in Piedmont Residuum", *Proceedings*, International Conference on Design and Construction of Deep Foundations, Vol. II (Orlando), Federal Highway Administration, pp. 352-368.
- 212) Mayne, P.W. and Kulhawy, F.H. (1994). Discussion of "The Coefficient of Earth Pressure At-Rest", *Canadian Geotechnical Journal* 31 (5), pp. 788-790.
- 213) Mayne, P.W., (1994). "Piezovibrocone Penetrometer for Evaluating Liquefaction Potential of Soils", *Proceedings*, Workshop on Advancing Technology for Cone Penetration Testing, University of Texas/Civil Engineering, Sponsored by Army Research Office, Austin.
- 214) Mayne, P.W. and Burns, S.E., (1994). "Development of an Integrated Optics Geoenvironmental Cone Penetrometer for Detecting and Mapping Soil and Groundwater Contaminants", *Proceedings*, Workshop on Advancing Technology for Cone Penetration Testing, University of Texas/Civil Engineering, Austin.
- 215) Mayne, P.W. and Chen, B.S-Y., (1994). "Piezocone Predictions of OCR in Clays", *Proceedings*, Workshop on Advancing Technology for Cone Penetration Testing, University of Texas/Austin, sponsored by Army Research Office.
- 216) Kulhawy, F.H. and Mayne, P.W., (1994). "On Interrelationships Among Mechanical, Electric, and Piezoelectric Cone Penetrometer Test Results", *Proceedings*, Seventh International Congress, International Association of Engineering Geology (1), Lisbon, pp. 229-235.
- 217) Mayne, P.W., "CPT-Based Prediction of Footing Response", *Predicted and Measured Behavior of Five Spread Footings on Sand (GSP 41)*, ASCE, New York, 1994, 214-218.
- 218) Circeo, L.J. and Mayne, P.W., "In-Situ Thermal Stabilization of Road and Airfield Foundation Soils Using Plasma Arc Technology", *Proceedings*, 4th International Conference on Bearing Capacity of Roads and Airfields, Minneapolis, July 17-21, 1994.
- 219) Mayne, P.W. and Chen, B.S.Y., "Preliminary Calibration of PCPT-OCR Model for Clays", *Proceedings*, 13th International Conference on Soil Mechanics and Foundation Engineering, Vol. 1, New Delhi, 1994, 283-286.
- 220) Mayne, P.W., Chen, B.S-Y., and Brown, D.N. (1994). "Application of Piezocone Model for Predicting Overconsolidation in Clays", *Proceedings*, Environmental & Geotechnical Site Characterization, 24th Annual Geotechnical Seminar, ASCE National Capital Section, NIST/Gaithersburg, Jan. 27, 31 p.
- 221) Mayne, P.W., (1993). "In-Situ Determination of Clay Stress History by Piezocone Tests," *Predictive Soil Mechanics*, (Proc. Wroth Memorial Symposium), Thomas Telford, London, pp. 361-373.
- 222) Mayne, P.W. and Rix, G.J. (1993). " G_{\max} - q_c Relationships for Clays", *ASTM Geotechnical Testing Journal*, Vol. 16 (1), pp. 54-60.

- 223) Mayne, P.W. and *Chen, B.S.Y., (1993). "Effective Stress Method for Piezocone Evaluation of Undrained Shear Strength", *Proceedings*, 3rd International Conference on Case Histories in Geotechnical Engineering (ICCHGE), Vol. 2, St. Louis, pp. 1305-1312.
- 224) Brown, D.N. and *Mayne, P.W., (1993). "Stress History Profiling of Marine Clays by Piezocone", *Proceedings*, 4th Canadian Conference on Marine Geotechnical Engineering, Vol. 1, Memorial University, Newfoundland, pp. 176-191.
- 225) Chen, B.S.Y. and Mayne, P.W., "Piezocone Evaluation of Undrained Shear Strength in Clays", *Proceedings, 11th Southeast Asian Geotechnical Conference*, Singapore, National Univ. of Singapore & Nanyang Technological Univ., May 1993, pp. 91-98.
- 226) Mayne, P.W., Kulhawy, F.H., and Trautmann, C.H. (1992). *The Behavior of Drilled Shaft Foundations in Clay Under Static and Cyclic Lateral Loading, Report No. TR-100221*, Electric Power Research Institute, Palo Alto, CA., Jan. 1992, 390 p.
- 227) Mayne, P.W. (1992). Discussion of "Interpretation of OCR from In Situ Tests in Recent Clay Deposits in Singapore and Malaysia", *Canadian Geotechnical Journal*, Vol. 29 (1), pp. 166-167.
- 228) Mayne, P.W. and Kulhawy, F.H. (1992). Discussion of "Effect of Lateral Stress on CPT Penetration Porewater Pressures", *ASCE Journal of Geotechnical Engineering*, Vol. 118 (10), pp. 1167-1169.
- 229) Mayne, P.W., (1992). "In-Situ Characterization of Piedmont Residuum in the Eastern U.S.", *Proceedings, U.S.- Brazil Workshop on Application of Classical Soil Mechanics to Structured Soils*, National Science Foundation/USA, CEMIG/Brazil, Belo Horizonte, pp. 89-93.
- 230) Benson, C., Briaud, J-L., and Mayne, P.W. (1992), "In-Situ Tests and Nondestructive Tests: Research Needs", *Proceedings, U.S.-China Workshop on Cooperative Research in Geotechnical Engineering*, National Science Foundation/USA & National Natural Science Foundation/PRC, Shanghai, Sept. 1992, pp. 99-116.
- 231) Mayne, P.W. (1991). Closure, "Determination of OCR in Clays by Piezocone Tests", *Soils & Foundations*, Vol. 32 (4), pp. 190-192.
- 232) Mayne, P.W. and Kulhawy, F.H., (1991). "Calibration Chamber Database and Boundary Effects Correction for CPT Data", *Calibration Chamber Testing (ISOCCT-1)*, Elsevier, New York, pp. 257-264.
- 233) Kulhawy, F.H. and Mayne, P.W., (1991). "Relative Density, SPT, and CPT Interrelationships", *Calibration Chamber Testing (ISOCCT-1)*, Elsevier, New York, pp. 197-211.
- 234) Mayne, P.W., (1991). "Tentative Method for Estimating Lateral Stresses From CPT Data in Sands", *Calibration Chamber Testing (ISOCCT-1)*, Elsevier, New York, pp. 249-256.
- 235) Mayne, P.W., and Kulhawy, F.H. (1991), "Load-Displacement Behavior of Laterally-Loaded Rigid Drilled Shafts in Clay", *Piling and Deep Foundations*, Vol. 1, Balkema, Rotterdam, 409-413.
- 236) Mayne, P.W. (1991). "Determination of OCR in Clays by Piezocone Tests Using Cavity Expansion and Critical State Concepts", *Soils and Foundations*, Vol. 31 (2), June: 65-76.

- 237) Kulhawy, F.H. and Mayne, P.W. (1990), *Manual on Estimating Soil Properties for Foundation Design, Report No. EL-6800*, Electric Power Research Institute, Palo Alto, CA, August 1990, 306 pages. Download from: www.epri.com
- 238) Kay, J.N. and Mayne, P.W. (1990). "Some Aspects of Interpretation of the Cone Penetration Test", *Australian Civil Engineering Transactions*, Vol. CE 32, No. 1, The Institution of Engineers, Australia, pp. 22-28.
- 239) Mayne, P.W., Kulhawy, F.H., and Kay, J.N. (1990). "Observations on the Development of Pore Water Stresses During Piezocone Penetration in Clays", *Canadian Geotechnical J.* 27 (4): 418-428.
- 240) Mayne, P.W. and Kulhawy, F.H. (1990). "Direct and Indirect Measurements of In-Situ K_o in Clays", *Transportation Research Record 1278*, Washington, DC: 141-149.
- 241) Mayne, P.W. and Stewart, H.E. (1990). Closure, "Pore Pressure Response of K_o -Consolidated Clays", *Journal of Geotechnical Engineering*, Vol. 116 (9): 1440-1441.
- 242) Mayne, P.W. and Bachus, R.C., (1989). "Penetration Porewater Pressures in Clay by CPTU, DMT, and SBP", *Proceedings, 12th International Conference on Soil Mechanics and Foundation Engineering*, Vol. 1, Rio de Janeiro: 291-294.
- 243) Mayne, P.W., (1989). "Site Characterization of Yorktown Formation for New Accelerator", *Foundation Engineering: Current Principles and Practices (GSP 22)*, Vol. 1, ASCE, NY: 1-15.
- 244) Mayne, P.W. (1989). Discussion of " C_α/C_c Concept and K_o during Secondary Compression", *ASCE Journal of Geotechnical Engineering*, ASCE, Vol. 115 (2): 267-270.
- 245) Mayne, P.W. (1989). Discussion of "Undrained Strength of Remolded Marine Clays", *Soils and Foundations*, Vol. 29 (1): 180-182.
- 246) Kulhawy, F.H., Jackson, C.S., and *Mayne, P.W., (1989). "First Order Estimation of K_o in Sands and Clays", *Foundation Engineering: Current Principles and Practices (GSP 22)*, Vol. 1, ASCE, NY, pp. 121-134.
- 247) Mayne, P.W. (1989). Discussion of "OCR of Clays from Penetration Pore Pressures", *Journal of Geotechnical Engineering*, ASCE, Vol. 115 (9), pp. 1344-1347.
- 248) Mayne, P.W. (1989). Discussion of "Concrete Pile Design in Tidewater, Virginia", *Journal of Geotechnical Engineering*, ASCE, Vol. 115 (10), pp. 1500-1502.
- 249) Mayne, P.W. (1988). "Ground Improvement by Dynamic Compaction," *Civil Engineering Practice: Geotechnical and Ocean Engineering*, Vol. 3, Chapter 11, Technomic Publishing, N.J, pp. 405-422.
- 250) Mayne, P.W. and Frost, D.D. (1988). "Dilatometer Experience in Washington, DC and Vicinity", *Transportation Research Record 1169*, National Academy Press, Washington, DC, pp. 16-23.
- 251) Mayne, P.W., (1988). "Determining OCR in Clays from Laboratory Strength", *Journal of Geotechnical Engineering*, ASCE, Vol. 114, No. 1, pp. 76-92.

- 252) Mayne, P.W. and Mitchell, J.K. (1988). "Profiling OCR in Clays by Field Vane", *Canadian Geotechnical Journal*, Vol. 25, No. 1, pp. 150-157.
- 253) Mayne, P.W. and Kemper, J.B., Jr. (1988). "Profiling OCR in Stiff Clays by CPT and SPT", *Geotechnical Testing Journal*, ASTM, Vol. 11, No. 2, pp. 139-147.
- 254) Mayne, P.W. and Holtz, R.D. (1988). "Profiling Stress History From Piezocone Soundings", *Soils and Foundations*, Vol. 28, No. 1, pp. 16-28.
- 255) Yokel, F.Y. and Mayne, P.W. (1988). "Helical Probe Tests: Initial Calibration", *Geotechnical Testing Journal*, ASTM, Vol. 11, No. 3, pp. 179-186.
- 256) Mayne, P.W. and Stewart, H.E. (1988). "Pore Pressure Response of K_0 -Consolidated Clays", *Journal of Geotechnical Engineering*, Vol. 114 (11), pp. 1340-1346.
- 257) Mayne, P.W. and Bachus, R.C., (1988). "Profiling OCR in Clays by Piezocone Soundings", *Penetration Testing_1988*, Vol. 2 (ISOPT-1), Balkema, Rotterdam, pp. 857-864.
- 258) Mayne, P.W. and Kulhawy, F.H. (1988). Discussion of "Independence of Geostatic Stress from Overconsolidation in some Beaufort Sea Clays", *Canadian Geotechnical Journal*, Vol. 25, No. 3, pp. 617-621.
- 259) Mayne, P.W. (1988). Discussion of "Preconsolidation Pressure from Piezocone Tests in Marine Clay", *Geotechnique*, Vol. 39, No. 3, pp. 455-465.
- 260) Mayne, P.W. (1988). Discussion of "Dilatometer Testing of Highly Overconsolidated Clays", *ASCE Journal of Geotechnical Engineering*, Vol. 114, No. 12, pp. 1462-1465.
- 261) Olsen, H.W., Rice, T.L., Mayne, P.W., and Singh, R.D. (1987). Closure, "Piston Core Properties and Disturbance Effects", *Journal of Geotechnical Engineering*, Vol. 113 (12), pp. 1519-1525.
- 262) Mayne, P.W. (1987). "Determining Preconsolidation Stress and Penetration Pore Pressures from DMT Contact Pressures", *Geotechnical Testing Journal*, ASTM, Vol. 10, No. 3, pp. 146-150.
- 263) Olsen, H.W., Rice, T.L., Mayne, P.W., and Singh, R.D. (1986). "Piston Core Properties and Disturbance Effects", *Journal of Geotechnical Engineering*, ASCE, Vol. 112, No. 6, pp. 608-625.
- 264) Mayne, P.W., (1986). "CPT Indexing of In-Situ OCR in Clays", *Use of In-Situ Tests in Geotechnical Engineering (GSP 6)*, ASCE, New York, NY, pp. 780-793.
- 265) Mayne, P.W. (1986). Discussion of "Anisotropy of Undrained Shear Strength of Clays under Axisymmetric Loading", *Soils and Foundations*, Vol. 26, No. 1, pp. 130-132.
- 266) Mayne, P.W. (1985). "Stress Anisotropy Effects on Clay Strength", *Journal of Geotechnical Engineering*, ASCE, Vol. 111, No. 3, pp. 356-366.
- 267) Mayne, P.W. (1985). "A Review of Undrained Strength in Direct Simple Shear", *Soils and Foundations*, Vol. 25, No. 3, pp. 64-72.

- 268) Mayne, P.W. and Holtz, R.D., (1985). "Effect of Principal Stress Rotation on Clay Strength", *Proceedings, 11th International Conference on Soil Mechanics and Foundation Engineering* (2), San Francisco, pp. 579-582.
- 269) Mayne, P.W., (1985). "Ground Vibrations During Dynamic Compaction", *Vibration Problems in Geotechnical Engineering*, ASCE, New York, NY, pp. 247-265.
- 270) Mayne, P.W., Jones, J.S., and Dumas, J., (1984). "Ground Response to Dynamic Compaction", *Journal of Geotechnical Engineering*, ASCE, Vol. 110, No. 6, pp. 757-774.
- 271) Mayne, P.W. (1984). " K_o - s_u Relationships for Overconsolidated Clays", *Journal of Geotechnical Engineering*, ASCE, Vol. 110, No. 10, pp. 1511-1516.
- 272) Mayne, P.W. (1984). Discussion of "Stability Analysis with the Simple and Advanced Methods" and "Three Case Studies of Soft Clay Deposits", *Soils and Foundations*, Vol. 24 (2), pp. 133-134.
- 273) Mayne, P.W. and Jones J.S. (1983). "Impact Stresses During Dynamic Compaction", *Journal of Geotechnical Engineering*, ASCE, Vol. 109, No. 10, pp. 1342-1346.
- 274) Mayne, P.W. (1983). Discussion of "Triaxial Testing at NGI", *Geotechnical Testing Journal*, ASTM, Vol. 6, No. 3, p. 160.
- 275) Mayne, P.W. (1983). Discussion of "Undrained Shear Strength Anisotropy of NC Cohesive Soils", *Soils and Foundations*, Vol. 23, No. 4, pp. 143-146.
- 276) Mayne, P.W. and Kulhawy, F.H. (1983). Closure, " K_o -OCR Relationships in Soil", *Journal of the Geotechnical Engineering Division, ASCE*, Vol. 109 (GT2), pp. 867-869.
- 277) Mayne, P.W. (1982). Discussion of "Undrained Settlement of Plastic and Organic Clays", *Journal of Geotechnical Engineering* (ASCE) 108 (GT10), pp. 1354-1357.
- 278) Mayne, P.W. and Kulhawy, F.H. (1982). " K_o -OCR Relationships in Soil", *Journal of the Geotechnical Engineering Division, ASCE*, Vol. 108, GT6, pp. 851-872.
- 279) Mayne, P.W. (1981). Closure, "Cam-Clay Predictions of Undrained Shear Strength", *Journal of the Geotechnical Engineering Division, ASCE*, Vol. 107 (GT2), pp. 327-330.
- 280) Mayne, P.W., Hamadock, R.G., and Olsen, H.W., (1982). "Soil Properties from Fall Cone Penetrometer", Proceedings Preprint No. 85-521, ASCE Convention, New Orleans, p. 12.
- 281) Mayne, P.W. and Swanson, P.G., (1981). "The Critical-State Pore Pressure Parameter from Consolidated Undrained Shear Tests", *Laboratory Shear Strength of Soil* (STP 740), ASTM, Philadelphia, pp. 410-430.
- 282) Mayne, P.W. (1980). "Cam-Clay Predictions of Undrained Shear Strength", *Journal of the Geotechnical Engineering Division, ASCE*, Vol. 106 (GT11), pp. 1219-1242.
- 283) Mayne, P.W. (1979). Discussion of "Normalized Deformation Parameters for Kaolin", *ASTM Geotechnical Testing Journal*, Vol. 2, No. 2, pp. 118-122.